

# Robust $H_\infty$ Control of a Doubly Fed Asynchronous Machine

Gherbi Sofiane

Department of electrical engineering, Faculty of Science of the engineer  
20 August 1956 University, Skikda, Algeria  
E-mail: sgherbi@gmail.com

Yahmedi Said

Department of electronic, Faculty of Science of the engineer  
Badji Mokhtar University, Annaba, Algeria  
E-mail: sais.yahmedi@carmail.com

Sedraoui Moussa

Department of electronics, Faculty of Science of the engineer  
Constantine University, road of AIN EL BEY Constantine, Algeria  
E-mail : msedraoui@gmail.com

**Keywords:** doubly fed asynchronous machine, robust control,  $H_\infty$  control, LMI's

**Received:** April 25, 2008

The doubly fed asynchronous machine is among the most used electrical machines due to its low cost, simplicity of construction and maintenance [1]. In this paper, we present a method to synthesize a robust controller of doubly fed asynchronous machine which is the main component of the wind turbine system (actually the most used model [2]), indeed: there is different challenges in the control of the wind energy systems and we have to take in a count a several parameters that perturb the system as: the wind speed variation, the consumption variation of the electricity energy and the kind of the power consumed (active or reactive) ...etc.. The method proposed is based on the  $H_\infty$  control problem with the linear matrix inequalities (LMI's) solution: Gahinet-Akparian [3], the results show the stability and the performance robustness of the system in spite of the perturbations mentioned before.

Povzetek: Opisana je metoda upravljanja motorja vetrnih turbin.

## 1 Introduction

From all the renewable energy electricity production systems, the wind turbine systems are the most used specially the doubly fed asynchronous machine based systems, the control of these systems is particularly difficult because all of the uncertainties introduced such as: the wind speed variations, the electrical energy consumption variation, the system parameters variations, in this paper we focus on the robust control ( $H_\infty$  controller design method) of the doubly fed asynchronous machine which is the most used in the wind turbine system due to its low cost, simplicity of construction and maintenance [1].

This paper is organised as follow:

Section 2 presents the wind turbine system equipped with the doubly fed asynchronous machine and then the mathematical electrical equations from what the system is modelled (in the state space form) are given.

The section 3 presents the  $H_\infty$  robust controller design method with the LMI's solution used to control our system.

The section 4 presents a numerical application and results in both the frequency and time plan are presented And finally a conclusion is given in section 5.

## 2 System presentation and modelling

The following figure represents the wind turbine system




Figure 1: The Wind turbine system

The system use the wind power to drag the double fed asynchronous machine who acts as a generator, the output power produced must have the same high quality when it enters the electrical network, i.e.: 220 volts amplitude and 60 Hz frequency and the harmonics held

to a low level in spite of wind speed changes and electrical energy consumption in active or reactive power form. References [4], [5], [6] describe detailed models of wind turbines for simulations, we use the model equipped with the doubly fed induction generators (asynchronous machine) (for more details see [7]), the system electrical equations are given in  $(d, q)$  frame orientation, then the stator voltage differential equations are:

$$V_{ds} = R_s \cdot I_{ds} + \frac{d}{dt} \Phi_{ds} - w_s \cdot \Phi_{qs} \quad (1)$$

$$V_{qs} = R_s \cdot I_{qs} + \frac{d}{dt} \Phi_{qs} + w_s \cdot \Phi_{ds} \quad (2)$$

The rotor voltage differential equations are:

$$V_{dr} = R_r \cdot I_{dr} + \frac{d}{dt} \Phi_{dr} - w_r \cdot \Phi_{qr} \quad (3)$$

$$V_{qr} = R_r \cdot I_{qr} + \frac{d}{dt} \Phi_{qr} + w_r \cdot \Phi_{dr} \quad (4)$$

The stator flux vectors equations are:

$$\Phi_{ds} = L_s \cdot I_{ds} + M \cdot I_{dr} \quad (5)$$

$$\Phi_{qs} = L_s \cdot I_{qs} + M \cdot I_{qr} \quad (6)$$

The rotor flux vectors equations:

$$\Phi_{dr} = L_r \cdot I_{dr} + M \cdot I_{ds} \quad (7)$$

$$\Phi_{qr} = L_r \cdot I_{qr} + M \cdot I_{qs} \quad (8)$$

The electromagnetic couple flux equation :

$$C_{em} = p \cdot \frac{M}{L_s} (\Phi_{ds} \cdot I_{qr} - \Phi_{qs} \cdot I_{dr}) \quad (9)$$

The electromagnetic couple mecanic equation :

$$C_{em} = C_r + J \frac{d\Omega}{dt} + f \cdot \Omega \quad (10)$$

With:

$V_{ds}, V_{qs}$  : Statoric voltage vector components in 'd' and 'q' axes respectively.

$V_{dr}, V_{qr}$  : Rotoric voltage vector components in 'd' and 'q' axes respectively.

$I_{ds}, I_{qs}$  : Statoric current vector components in 'd' and 'q' axes respectively.

$I_{dr}, I_{qr}$  : Rotoric current vector components in 'd' and 'q' axes respectively.

$\Phi_{ds}, \Phi_{qs}$  : Statoric flux vector components in 'd' and 'q' axes respectively.

$\Phi_{dr}, \Phi_{qr}$  : Rotoric flux vector components in 'd' and 'q' axes respectively.

$R_s, R_r$  : Stator and rotor resistances (of one phase) respectively.

$L_s, L_r$  : Stator and rotor cyclic inductances respectively.

$w_s, w_r$  : Statoric and rotoric current pulsations respectively.

$M$  : Cyclic mutual inductance.

$p$  : Number of pair of the machine poles.

$C_r$  : Resistant torque.

$f$  : Viscous rubbing coefficient.

$J$  : Inertia moment.

## 2.1 State space model

In order to apply the robust controller design method, we have to put the system model in the state space from; we consider the rotoric voltage  $V_{dr}, V_{qr}$  as the inputs and the statoric voltage  $V_{ds}, V_{qs}$  as the outputs, i.e. we have to design a controller who acts on the rotoric voltages to keep the output statoric voltages at 220volts and 50Hz frequency in spite of the electric network perturbations (demand variations ... etc) and the wind speed variations (see figure.2).




Figure 2: A Doubly fed wind turbine system control configuration

Where:  $u, y$  and  $e$  are the rotoric voltage vector (control vector), statoric output voltage vector and the error signal between the input reference and the output system respectively.  $K, G$  are the controller and the wind turbine system respectively.  $R$  : is the statoric voltage references vector and *perturbations* are the electric energy demand variations, wind speed variations ...etc.

Let us consider  $x = [\Phi_{dr} \ \Phi_{qr}]^T$  as a state vector, and  $u = [I_{ds} \ I_{qs} \ V_{ds} \ V_{qs}]^T$  as the command vector, the stator flux vector is oriented in d axis of Parks reference frame then :  $\Phi_{qs} = 0$  and  $I_{ds}, I_{qs}$  are considered constant in the steady state i.e.:  $\dot{I}_{ds} = \dot{I}_{qs} = 0$ .

We use the following doubly fed asynchronous machine parameters:

$$R_s = 5\Omega ; R_r = 1.0113\Omega ; M = 0.1346H$$

$$L_s = 0.3409H ; L_r = 0.605H ; w_r = 146.6Hz ;$$

$$w_s = 2\pi \cdot 50Hz$$

$$\text{Let } w = w_s - w_r \text{ and } \sigma = 1 - \frac{M^2}{L_s \cdot L_r}.$$

The state space (11) can be obtained by the combining of the equations (1) to (8) as follow:

$$\begin{cases} \dot{x} = A \cdot x + B \cdot u \\ y = C \cdot x + D \cdot u \end{cases} \quad (11)$$

Where:

$$x = [\phi_{dr} \quad \phi_{qr}]^T$$

$$u = [I_{ds} \quad I_{qs} \quad V_{dr} \quad V_{qr}]^T$$

$$y = [V_{ds} \quad V_{qs}]^T$$

And:

$$A = \begin{bmatrix} -\frac{R_r}{L_r} & w_r \\ -w_r & -\frac{R_r}{L_r} \end{bmatrix} \quad B = \begin{bmatrix} \frac{R_r \cdot M}{L_r} & 0 & 1 & 0 \\ 0 & \frac{R_r \cdot M}{L_r} & 0 & 1 \end{bmatrix}$$

$$C = -\frac{M}{L_r} \cdot \begin{bmatrix} \frac{R_r}{L_r} & w \\ w & -\frac{R_r}{L_r} \end{bmatrix}$$

$$D = \begin{bmatrix} R_s + \frac{M^2}{L_r^2} \cdot R_r & -\sigma \cdot L_s \cdot W & \frac{M}{L_r} & 0 \\ \sigma \cdot L_s \cdot W & R_s + \frac{M^2}{L_r^2} \cdot R_r & 0 & \frac{M}{L_r} \end{bmatrix}$$

### 3 The $H_\infty$ controller design method

It is necessary to recall the basics of a control loop (figure.3). With  $G'$ : the perturbed system.




Figure 3: The control loop with the output multiplicative uncertainties

The multiplicative uncertainties at the process output which include all the perturbations that act in the system are then :  $\Delta_m = (G' - G) \cdot G^{-1}$ , with  $G' = G(I + \Delta_m)$  : is the perturbed system, figure.4 show the singular values plot at the frequency plan of  $\Delta_m$ , we can see that the uncertainties are smaller at low frequencies and grow at the medium and high frequencies, this mean a strong perturbation at high frequencies (the transient phase), we also note a pick at:  $\omega = 260 \text{ rad/s}$ , this is due to the fact that the system is highly coupled at this pulsation.

We can bound the system uncertainties by the following weighting matrix function:

$$W_t(j\omega) = \begin{bmatrix} \frac{0.55(0.02 j\omega + 1)}{(1 + 0.0001 j\omega)} & 0 \\ 0 & \frac{0.55(0.02 j\omega + 1)}{(1 + 0.0001 j\omega)} \end{bmatrix} \quad (12)$$

The figure.5 show that the singular values of  $W_t(j\omega)$  bounds the maximum singular values of the uncertainties in the entire frequency plan.

The robust stability condition [11] is then:

$$\bar{\sigma}[T(j\omega) \cdot W_t(j\omega)] < 1 \quad (13)$$

Or:

$$\bar{\sigma}[T(j\omega)] < \bar{\sigma}[W_t(j\omega)]^{-1} \quad (14)$$

Where:  $\bar{\sigma}$  is the maximum singular value and  $T(j\omega)$  is the nominal closed loop transfer matrix defined by:

$$T(j\omega) = G(j\omega) \cdot K(j\omega) \cdot [I + G(j\omega) \cdot K(j\omega)]^{-1} \quad (15)$$

The equations (13) allow us to guaranty the stability robustness, in other hand we must guaranty satisfying performances (no overshoot, time response ...etc) in the closed loop (performances robustness), this can be done by the performance robustness condition [8]:

$$\bar{\sigma}[S(j\omega) \cdot W_p(j\omega)] < 1 \quad (16)$$

Or:

$$\bar{\sigma}[S(j\omega)] < \bar{\sigma}[W_p(j\omega)]^{-1} \quad (17)$$

Where:

$S(j\omega)$  is the sensitivity matrix given by:

$$S(j\omega) = [I + G(j\omega) \cdot K(j\omega)]^{-1} \quad (18)$$

$W_p(j\omega)$  is a weighting matrix function designed to meet the performance specifications desired in the frequency plan, we choose the following matrix function:

$$W_p(j\omega) = \begin{bmatrix} \frac{(0.005 j\omega + 1)}{0.05 j\omega} & 0 \\ 0 & \frac{(0.005 j\omega + 1)}{0.05 j\omega} \end{bmatrix} \quad (19)$$

The figure.6 represent the singular values of  $W_p(j\omega)$  in the frequency plan, one notice that the specifications on the performances are bigger in low frequencies (integrator frequency behaviour), and this guaranty no static error.

Then the standard problem of  $H_\infty$  Control theory is then:

$$\min_{K_{\text{stabilising}}} \left\| \begin{bmatrix} T(j\omega) \cdot W_t(j\omega) \\ S(j\omega) \cdot W_p(j\omega) \end{bmatrix} \right\|_\infty \quad (20)$$

i.e.: to find a stabilising controller  $K$  that minimise the norm (20).

With:  $\| \cdot \|_\infty$  is The Hinfinity norm.

## 4 Application

The minimisation problem (20) is solved by using two Riccati equations [9] or with the linear matrix inequalities approach. For our system, we use the linear matrix inequalities solution (for more details see [10]). The solution (controller) can be obtained via the Matlab instruction *hinflmi* available at ‘LMI Toolbox’ of Matlab® Math works Inc [11].

The figure 7 and the figure 8 show the satisfaction of the stability and performances robustness conditions (14) and (17).

The figure.9 show the step responses of the closed loop controlled nominal system with:

$$R = \begin{pmatrix} V_{ds\_ref} = 1/0 & V_{qs\_ref} = 0/1 \end{pmatrix} \text{ respectively.}$$

The Outputs  $V_{ds}$  and  $V_{qs}$  follow the references with a good time response and no overshoot.




Figure 4: The system uncertainties maximum singular values




Figure 5: Maximum singular values of the system uncertainties  $\Delta_m$  bounded by the singular values of  $W_t(jw)$ .




Figure 6: Singular Values of the weighting performance specification




Figure 7: Stability robustness condition




Figure 8: Performances robustness condition




Figure 9: Step response of the controlled closed loop nominal system

## 5 Conclusion

In this paper we deal with the control problem of a wind turbine equipped with a doubly fed asynchronous machine subject to various perturbations and system uncertainties (wind speed variations, electrical energy consumption, system parameters variations ...etc), we show that the  $H_\infty$  controller design method can be successfully applied to this kind of systems keeping

stability and good performances in spite of the perturbations and system uncertainties.

## References

- [1] G. L. Johnson (2006), 'Wind energy systems: Electronic Edition', Manhattan, KS, October 10.
- [2] 'AWEA Electrical Guide to Utility Scale Wind Turbines', (2005), The American Wind Energy Association, available at <http://www.awea.org>.
- [3] P. Gahinet, P. Apkarian (1994), 'A linear Matrix Inequality Approach to  $H_\infty$  Control', Int. J. of Robust & Nonlinear Control, vol. 4, pp. 421-448.
- [4] J. Soens, J. Driesen, R. Belmans (2005), 'Equivalent Transfer Function for a Variable-speed Wind Turbine in Power System Dynamic Simulations', International Journal of Distributed Energy Resources, Vol.1 N°2, pp. 111-133.
- [5] 'Dynamic Modelling of Doubly-Fed Induction Machine Wind-Generators' (2003), Dig Silent GmbH Technical Documentation, available at <http://www.digsilent.de>.
- [6] J. Soens, J. Driesen, R. Belmans (2004), 'Wind turbine modelling approaches for dynamic power system simulations', IEEE Young Researchers Symposium in Electrical Power Engineering - Intelligent Energy Conversion, (CD-Rom), Delft, The Netherlands.
- [7] J. Soens, V. Van Thong, J. Driesen, R. Belmans (2003), 'Modelling wind turbine generators for power system simulations', European Wind Energy Conference EWEC.
- [8] Sigurd Skogestad, Ian Postlethwaite (1996), 'Multivariable Feedback Control Analysis and Design', John Wiley and Sons. pp: 72 to 75
- [9] J. C. Doyle, K. Glover, P. P. Khargonekar and Bruce A. Francis (1989), 'State-Space Solution to Standard  $H_2$  and  $H_\infty$  Control Problems', IEEE Transactions on Automatic Control, Vol. 34, N°. 8.
- [10] D.-W. Gu, P. Hr. Petkov and M. M. Konstantinov (2005), 'Robust Control Design with MATLAB®', © Springer-Verlag London Limited. pp: 27 to 29
- [11] P. Gahinet, A. Nemirovski, A. J. Laub, M. Chilali (1995). "LMI Control Toolbox for Use with MATLAB®", User's Guide Version 1, The Math Works, and Inc.